



# VEHICLE GENERATOR SET 14KWA STAGE V

**Product price:** 

14.485,00 € tax excluded

## **Product description:**

VEHICLE GENSET 14KWA STAGE V

Vehicle Generator Set 14 KVA STAGE V: Power and Quietness for Your Needs on the Move

The STAGE V 14 KVA Vehicle Generator Set is the ideal solution for those who need a reliable, powerful and silent power source to be installed in commercial or work vehicles.

## Main features:

High single-phase power:

Maximum single-phase power: 14 KVA (11.2 kW)

Yanmar 3TNV88 (STAGE V) engine: Reliable, high-performance,

water-cooled 3-cylinder diesel engine complying with the latest STAGE V emission standards.

Efficient consumption: Low fuel consumption (2.7 l/h) for optimal autonomy.

Compact and lightweight design: Easy to install on vehicles of different sizes.

Robust construction: Durable construction for safe and long-lasting use.

Quiet operation: Soundproof design for minimal noise impact.

Protection class IP 23: Protection against penetration by solids and water.

Ambient operating temperature: 40°C: Suitable for warm and airy climates.





#### Technical characteristics 14KWA STAGE V VEHICULAR ELECTRIC GENERATOR UNIT

Maximum single-phase power: 11.2 KW

Maximum single-phase power: 14 kva

Fuel: Diesel

Voltage: 230 V

Engine: Yanmar 3TNV88 (STAGE V)

consumption: 2.7 l/h

Length: 1440 mm

Width: 650 mm

Height: 810 mm

Weight: 485 kg

Protection class: IP 23

Ambient temperature: 40 degrees

If you are looking for a product with different technical characteristics click.

#### **Product features:**

Phase: Single phase

Maximum power single phase (KW): 11.2 Continuous power single phase (KW): 10.2

Fuel: Diesel

Voltage (V): 230 Engine: Yanmar

Emissions Regulations: Stage 5

Engine rpm (rpm): 1500 Starting system: Electric Engine capacity (cm³): 1642

Number cylinders: 3





Cooling: Water

Alternator: Synchronous Consumption (L/h): 2.7 Acoustic power: 87 dB(A)

Acoustic pressure: 62 dB(A) at 7 m

Length (mm): 1440 Width (mm): 650 Height (mm): 810 Dry weight (Kg): 485

Silenced: Yes

Super silenced: Yes ATS Switch device : No Voltage regulator: AVR

Engine manufacturer: Yanmar

