



# GENERAC VTEVO Y1 Light Tower 4x320W with Generator 3kw Stage V

Product price:

**12.041,25 € tax excluded**

## Product description:

GENERAC VTEVO Y1 LIGHTER TOWER 4x320W with Generator

Generac VTEVO Y1 Tower Light 4x320W with Generator: Lighting and Power in One Solution

The Generac VTEVO Y1 Tower Light 4x320W with Generator is the complete answer to your autonomous and powerful lighting needs. In addition to the features already described in the version without a generator, this model integrates a power generator that allows you to use it anywhere, even in the absence of a power supply.

## Main features:

**Powerful lighting:** 4 LED lamps of 320 W each for a total of 188,160 lumens, capable of illuminating a large area of 4,500 m<sup>2</sup>.

**Manual lifting system:** Adjust the height of the light tower up to 8 metres to suit your needs.

**340° pole rotation:** Directs the light beam in any direction for complete illumination.

**Integrated power generator:** Provides electrical power to the light tower and other equipment, ensuring autonomy in any situation.

**Yanmar L70N engine:** Reliable, high-performance and quiet.

**Alternator and electrical outlets:** Power other electrical devices with the 3.5/4.5 kVA alternator and 2 kVA electrical outlets.

**Low energy consumption:** LED lamps and efficient generator reduce fuel consumption and emissions.

**Weather resistance:** Withstands winds of up to 80 km/h and adverse weather conditions.

**200-hour runtime:** The large 120-litre fuel tank guarantees a long runtime.

**Compact dimensions:** Easy to transport and store when folded (2480 x 1190 x 2450 mm).

**TECHNICAL CHARACTERISTICS GENERAC VTEVO Y1 Tower Light 4x320W with Generator:**



Lamp power: 4 x 320 W  
Lamp type: LED  
Total lumens: 188160 Lm  
Illuminated area: 4500 m<sup>2</sup>  
Lifting system: Manual  
Pole rotation: 340°  
Engine: Yanmar L70N  
Engine cooling: Air  
Cylinders (N): 1  
Engine speed (50/60 Hz): 3000 - 3600 rpm  
Alternator (kVA/V/Hz): 3.5/220/50 - 4.5/240/60  
Electrical outlet (kVA/V/Hz): 2/220/50 - 2/240/60  
Average sound pressure: 66 dB(A) @ 7m  
Wind resistance: 80 km/h  
Tank capacity: 120 l  
Autonomy: 200 h  
Minimum dimensions (W x D x H): 2480 x 1190 x 2450 mm  
Maximum dimensions (W x D x H): 2480 x 2400 x 8000 mm  
Dry weight: 658 kg  
Stage V  
Phase type: Single-phase

Are you looking for a product with different technical characteristics? [HERE](#) you can find the entire range of GENERAC lighting towers or other specialized brands.

Non-binding images and technical data.

**Product features:**

Phase: Single phase  
Maximum power single phase (KW): 3  
Engine: Yanmar  
Emissions Regulations: Stage 5  
Engine rpm (rpm): 3000 - 3600  
Number cylinders: 1  
Cooling: Air  
Type of lamps: LED  
Lamps: 4 x 320 W  
Illuminated area (m<sup>2</sup>): 4500  
Total lumens (Lm): 188160  
Lifting System: Manual lifting system  
Maximum height (m): 8  
Mast rotation: 340°



---

Open size (mm): 2480 x 2400 x 7500  
Closed size (mm): 2480 x 1190 x 1950  
With generator / Without generator: With generator  
Stability to wind (Km/h): 80 Km/h  
Fuel tank capacity (L): 120  
Running time (h): 200  
Acoustic pressure: 66 dB(A) at 7 m  
Dry weight (Kg): 620  
Engine manufacturer: Yanmar

