

# FENZI G6 Tank 6000LT



## Product description:

FENZI G6 Cistern 6000LT

FENZI G6 Cistern 6000lt: Safety and reliability for storing liquids

Fenzi G6 6000 litre cistern: the ideal solution for the safe and efficient storage of a wide range of liquids.

Thanks to its robustness, versatility and compliance with the highest quality standards, it is the perfect choice for multiple industries.

## Key features:

**Variable capacity:** Available in different capacities to meet any storage need, adapting perfectly to any context.

**Exceptional robustness:** Made of carbon steel EN 10025 S235JR, it provides superior resistance to corrosion and impact,

ensuring a long service life.

**Anti-corrosion protection:** 800 micron endoprene or epoxy resin protection provides an effective barrier against atmospheric and chemical agents, preserving the integrity of the tank and ensuring the safety of the contents.

**Double chamber:** Maximum safety thanks to the double chamber that prevents accidental contamination and protects the environment.

**Guaranteed traceability:** Each tank is equipped with an identification plate with serial number for easy traceability and management.

**Customisation on request:** The tank can be customised to your specific needs, with different



options for internal lining, compartmentalisation and leak detection control unit.

### **Applications:**

Aviation: Storage of aircraft fuels and lubricants.

Chemical industry: Storage of hazardous or aggressive chemicals.

Hydraulics: Storage of lubricating oils and waste oils.

Petrol stations: Storage of fuels in general.

Waste management: Storage of polluting liquids.

Water treatment: Recovery of process and rainwater.

Cogeneration: Storage of fuels for cogeneration plants.

### **Technical specifications:**

Capacity: 6000 litres

Outer diameter: 1630 mm

Length: 3450 mm

Outer thickness: 4 mm

Inside thickness: 4 mm

Weight: 1320 kg

Choose Fenzi Cistern G6 6000lt for safe and reliable storage of your liquids.

### **Models:**

G6C - Tarred - G6 12060

G6V - Endoprene - G6 22060

### **What are they?**

Tarring

What it is:

Advantages:

Disadvantages:

Endoprene

What it is:





Use:

Advantages:

Disadvantages:

It is more expensive than tarring; the application process is more complex and requires longer drying times. Main differences:

Material used: Tarring uses tar, whereas endopreneing uses synthetic resins or other penetrating chemicals.

Method of protection: Tarring creates a surface barrier, while endopreneing not only provides a surface barrier but also penetrates into the material for protection from the inside.

Aesthetic appearance: Tarring tends to leave a black, sticky finish, while endoprene can be colourless or coloured, maintaining a more natural appearance.

If you are looking for a product like FENZI G6 Cistern Inside or Outside with different characteristics, check out [HERE](#).

Images and data purely indicative.

**Product features:**

Diameter (Ø): 1460

Tank capacity (L): 6000

Length (mm): 3450

Weight (Kg): 1320

