

GENERATOR SET SINGLE- PHASE-THREE-PHASE 275KVA



Product price:

23.081,00 € tax excluded

Product description:

GENERATOR SET SINGLE-PHASE-THREE-PHASE 275KVA

Three-phase-single-phase 275KVA generator with a Baudouin 6M16G275-5 diesel-powered engine and a fuel tank with a maximum capacity of 370 l.

The generator's MECC ALTE alternator is 4-pole, synchronous with electronic voltage regulation and class H insulation.

The generator has a 370-litre tank.

Main Features:

High Power: With a maximum power output of 275 KVA and a continuous power output of 250 KVA, this generator set is capable of powering a wide range of electrical devices, making it ideal for industrial applications, construction sites, outdoor events and other situations where a reliable and powerful power source is needed.

High-performance motor: The Baudouin 6M16G275-5 motor, known for its robustness and reliability, ensures prolonged operation and constant power output.

Flexibility of Use: The possibility of delivering both three-phase and single-phase voltage, combined with voltage and frequency regulation, makes this genset adaptable to different operating requirements.

Quietness: Thanks to the silencing system, the noise level is reduced to 70 dB(A) at a distance of 7 metres, allowing use in noise-sensitive environments.

Autonomy: With a 370-litre tank, the genset offers good autonomy, reducing the need for frequent refuelling.

Technical characteristics of the

Technical characteristics of the GENERATOR SET SINGLE-PHASE-THREE-PHASE 275KVA:

Type of phase: Three-phase/Single-phase

Maximum power: 275 KVA

Continuous power: 250 KVA

Maximum power: 220 KW

Continuous power: 200 KW

Fuel: Diesel

Alternator: Mecc Alte

Voltage: 400-230 V

Frequency: 50 Hz

Engine: Baudouin 6M16G275-5

Engine speed: 1500 rpm

Starter: Electric

Tank capacity: 370 l

Acoustic power 70 dB(A) at 7m

Dimensions: 3800x1200x2000 mm

weight: 2300 kg

Silenced

If you are looking for another product like this generator GREEN POWER then you can see on our catalog other generator.

Images and technical data are not binding.

Product features:

Phase: Single phase / Three phase

Maximum power three phase (KW): 220

Continuous power three phase (KW): 200

Maximum power three phase (KVA): 275

Continuous power three phase (KVA): 250

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 400/230

Engine: Baudouin 6M16G275-5

Emissions Regulations: Not Emitted

Engine rpm (rpm): 1500

Speed governor: Electronic

Starting system: Electric



Engine capacity (cm³): 9726

Number cylinders: 6

Cooling: Water

Alternator: Mecc Alte

Poles: 4

Product dimensions (mm): 3800x1200x2000

Fuel tank capacity (L): 370

Acoustic pressure: 70 dB(A) at 7 m

Silenced: Yes

ATS Switch device : Optional

Weight (Kg): 2300

