



GENSET MG275SI Generator Group StageV 275KVA AVR

Product price:

38.675,00 € tax excluded

Product description:

GENSET MG275SI GENERATOR GROUP STAGEV 275KVA AVR

The GENSET MG275SI Generator Group StageV 275KVA AVR is equipped with an advanced digital control panel that enables precise monitoring of all essential generator parameters. These parameters include generator voltage, grid voltage, battery voltage, amperage, frequency, and fuel level.

The system is also equipped with automated safety devices that ensure engine protection in the event of low oil pressure or high coolant temperatures.

Robust Construction and Easy Handling

Designed to withstand even the most challenging conditions, the GENSET MG275SI StageV features a robust construction with high-quality materials. Its forklift-compatible base allows for easy transportation and hassle-free installation, while the four integrated lifting hooks ensure safe handling in any situation. These features make the GENSET MG275SI StageV the perfect choice for those who need a reliable and easily maneuverable generator.

Quiet Performance and Extended Autonomy

The GENSET MG275SI StageV 275KVA AVR is designed to operate quietly, with a sound power level of 95 Lwa. This feature makes it particularly suitable for use in noise-sensitive environments. Additionally, with a 420-liter tank, it offers extended autonomy, allowing for continuous operation without frequent refueling interruptions.

Flexibility and Adaptability



The flexibility of the GENSET MG275SI is further enhanced by the presence of a three-phase and single-phase socket panel, enabling a wide range of applications. Upon request, a catalytic muffler can be installed, offering greater operational versatility. This adaptability makes the GENSET a highly versatile generator, capable of meeting the needs of a wide spectrum of industries.

Eco-Sustainability and Compliance with Standards

The GENSET MG275SI StageV complies with European StageV emission standards, reducing environmental impact and promoting an eco-sustainable approach. This makes it not only a choice of power and reliability but also a conscious choice for the future of our planet.

Main Technical Specifications of the GENSET MG275SI StageV:

Three-Phase Power: 275 KVA / 220 KW

Tank Capacity: 420 Liters

Weight: 2280 kg

Dimensions (LxWxH): 3800 x 1100 x 1820 mm

Engine: FPT NEF67 TM7, 1500 rpm, 6 cylinders

Cooling: Water

Starting: Electric

Automatic Voltage Regulator (AVR)

Super Silent

Are you looking for a product with different technical characteristics? [HERE](#) you can find the area dedicated to GENSET generators or other specialized brands.

Non-binding images and technical data.

Product features:

Phase: Single phase / Three phase

Maximum power single phase (KW): 73.28

Maximum power single phase (KVA): 91.67

Maximum power three phase (KW): 220

Maximum power three phase (KVA): 275

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230 / 400





Sockets configuration: Terminal box

Engine: FPT NEF 67 TE8W

Emissions Regulations: Stage 5

Engine rpm (rpm): 1500

Starting system: Electric

Engine capacity (cm³): 6

Number cylinders: 6

Fuel tank capacity (L): 420

Consumption (L/h): 38.8 at 80% load

Running time (h): 10.1

Length (mm): 3915

Width (mm): 1325

Height (mm): 2198

Dry weight (Kg): 2760

Silenced: Yes

Super silenced: Yes

Product type: Generator

ATS Switch device : Optional

Voltage regulator: AVR

