



Green Power GP110-SV Generatore 100KVA Supersilenziato STAGE V

Product price:

29.795,00 € tax excluded

Product description:

Green Power GP110-SV Generator 100KVA Super-Silent STAGE V

The Green Power GP110-SV is a state-of-the-art electric generator designed for exceptional performance and extremely quiet operation. With a continuous output of 80 kW and an IVECO FTT F36ETVP03.A94 engine,

compliant with Stage V emissions regulations, this generator is the ideal solution for a wide range of applications,

both in the industrial and civil sectors.

Key features:

Flexibility: With the ability to deliver both single-phase and three-phase voltage, this generator adapts to a variety of needs.

Power: With a continuous output of 80 kW, it can power a wide variety of equipment and machinery.

Quiet: The generator's design and careful soundproofing ensure an extremely low noise level, making it ideal for noise-sensitive environments.

noise-sensitive environments.

Efficiency: The IVECO engine ensures excellent efficiency and low consumption.

Compact and manoeuvrable: The compact dimensions facilitate transport and installation.

Environmentally friendly: Thanks to its compliance with Stage V regulations, this generator meets





the strictest standards on pollutant emissions.

main features:

Type of phase: Single-phase / Three-phase Continuous use power: 100 KVA / 80 KW

Maximum power: 100 KVA / 80 KW Engine: IVECO FTT F36ETVP03.A94

Engine speed: 1500 rpm Emissions standard: Stage V

Starter: Electric

Voltage available at terminals: 230 / 400 V

Frequency: 50 Hz Tank capacity: 170 I

Consumption at 75% load: 23.6 Lt/h Acoustic pressure: 66 dB(A) @ 7 m

Length: 3000 mm Width: 1100 mm Height: 1820 mm Dry weight: 2000 Kg

N poles: 4

Insulation class: H

Degree of protection: IP23

Alternator: Mecc Alte Displacement: 3600 cc

cylinders: 4

Are you looking for a generator with different technical characteristics? HERE you can find the area dedicated to specialized brand generators.

Non-binding images and technical data.

Product features:

Phase: Single phase / Three phase Maximum power three phase (KW): 80 Continuous power three phase (KW): 80 Maximum power three phase (KVA): 100 Continuous power three phase (KVA): 100

Frequency (Hz): 50 Voltage (V): 230 / 400

Engine: IVECO FTT F36ETVP03.A94

Emissions Regulations: Stage 5





Engine rpm (rpm): 1500 Speed governor: Electronic Starting system: Electric Engine capacity (cm³): 3600

Number cylinders: 4 Alternator: Mecc Alte

Poles: 4

Fuel tank capacity (L): 170

Consumption (L/h): 23.6 at 75% load Acoustic pressure: 66 dB(A) at 7 m

Length (mm): 3000 Width (mm): 1100 Height (mm): 1820 Dry weight (Kg): 2000

Silenced: Yes

Super silenced: Yes Product type: Generator

Engine manufacturer: FPT Iveco