

MOSA GE 35 YSX GRUPPO ELETTROGENO MONOFASE 28KW

Product price:

12.264,10 € tax excluded

Product description:

Ì

MOSA GE 35 YSX 28KW Stage IIIA diesel genset

The MOSA GE 35 YSX is a diesel generator set designed to provide emergency or continuous power in various applications. Thanks to its powerful 4-cylinder, 3.3-litre Yanmar 4TNV98 engine, this generator is capable of delivering a maximum output of 31 kVA (28 kVA).

Key features:

Reliability: The Yanmar engine and high-quality components ensure reliable and long-lasting operation.

Autonomy: With a 100-litre fuel tank and low fuel consumption, the generator offers an autonomy of more than 16 hours at partial load.

Compact and manoeuvrable: Its small size and relatively low weight make it easy to transport and install.

Safety: The IP44 degree of protection ensures good weather resistance.

Mechanical regulator: Ensures a stable output voltage.

Synchronous alternator: Provides excellent power quality.

Emissions standard: Stage 3A

Features:

Stage 3A compliant motor

PrestaShop

R

Electronic AVR voltage regulation with three-phase detection

Rounded edges to allow rainwater run-off

Sealed crankcase to contain any leakage of liquids

in the motor avoiding environmental pollution

External ports for oil and water drainage

Large access doors for easy maintenance

(replacement of air, oil, fuel filters)

Central lifting hook

Ì

Side pockets for handling with forklifts

Control panels with digital control units: Manual / Manual with

sockets / Automatic

SINGLE-PHASE version only with automatic panel without sockets

Conforms to CE directives for noise and safety

If you are looking for another product like the generator set MOSA GE35 YSX then you can see on our catalog other terrestrial generators.

Images and technical data are not binding.

Product features:

Phase: Single phase Maximum power single phase (KVA): 3.6 Continuous power single phase (KVA): 28 Fuel: Diesel Frequency (Hz): 50 Voltage (V): 230 Engine: Yanmar 4TNV98, 4 stroke naturally aspirated Emissions Regulations: STAGE 3A Engine rpm (rpm): 1500 Starting system: Elettrico

(121)

Engine capacity (cm³): 3300 Number cylinders: 4 Inyección : Direct Alternator: Sincrono trifase, autoeccitato, autoregolato, senza spazzole Product type: Generator ATS Switch device : Optional Voltage regulator: AVR Engine manufacturer: Yanmar

R