

VTE PAGURO 16500 Marine Generator 16.5KVA 60Hz AVR

Product price:

14.454,00 € tax excluded

Product description:

VTE PAGURO 16500 Marine Generator 16.5KVA 60Hz AVR

VTE PAGURO 16500 Marine Generator 16.5KVA 60Hz AVR: Power and reliability in a compact size

The VTE Paguro 16500 is a marine diesel generator designed for reliable and silent performance in marine environments. With a continuous output of 16.5 kVA at 60 Hz, this generator is capable of powering a wide range of electrical devices on board.

Key features:

Kohler KDI 1903 engine: Ensures reliable and durable operation, even under demanding operating conditions.

Silent and compact: With a noise emission level of only 51 dB(A) at 7 metres, the Paguro 16500 is extremely quiet and takes up little space.

Water cooling: Ensures optimum engine operating temperature, prolonging engine life.

Electric start: Simplifies starting the generator, even in adverse weather conditions.

AVR: The automatic voltage regulator (AVR) ensures a stable output voltage and protects connected devices.

Robust construction: Made of high-quality materials, the Paguro 16500 is designed to withstand the harshest marine environments.

R

Technical Specifications:

Ø.

Fuel: Diesel Engine RPM: 1800 Phase type: Single-phase Continuous electrical power: 16.5 KVA - 15 KW Frequency (Hz): 60 Hz Voltage (V): 230 V Engine: Kohler KDI 1903 Starter: Electric Silenced: Supersilenced Noise emission 51 dB(A) 7 m Cooling: Fresh water with heat exchanger Dry weight (kg): 500 Length (mm): 1224 Width (mm): 631 Height (mm): 828 inrush current: 360 A number of cylinders: 3 Starting and stopping system: 12 V electric with remote control insulation class: H AVR

Se stai cercando un prodotto con caratteristiche simili CLICCA QUI.

Non-binding images and technical data.

Product features:

Phase: Single phase Continuous power single phase (KW): 15 Continuous power single phase (KVA): 16.5 Fuel: Diesel Frequency (Hz): 60 Voltage (V): 230 Engine: Kohler KDI 1903 Engine rpm (rpm): 1800 Starting system: Electric Number cylinders: 3 Cooling: Fresh water with heat exchanger Alternator: Synchronous, brushless Consumption (L/h): 0.35 Length (mm): 1224 Width (mm): 631 Height (mm): 828 Dry weight (Kg): 500 AVR: Yes Product type: Generator Engine manufacturer: Kohler

R