



GENERATOR SINGLE-PHASE STAGE V 18.7KVA

Product price:

6.500,00 € tax excluded

Product description:

GENERATOR SINGLE-PHASE STAGE V 17KVA

generator single-phase of 17 KVA with BRIGGS & STRATTON engine powered by STAGE V gasoline at 3000 rpm, compact and easy to use.

generator consists of an NSM Made in Italy, self-excited brushless alternator with **AVR** voltage regulator. The generator is equipped with electric start with battery that allows a practical and fast use even when cold. The Generator has a low fuel consumption, in fact it consumes only 6,5 liters/hour at 75% of the load.

The Generator is part of the QUIET series because thanks to the hood has low noise emissions and is supersilenced. This generator is 3000 rpm, with BRIGGS & STRATTON diesel engine with electric start with key and battery.

Technical features of the Generator single - phase:

Phase Type: Single-Phase Maximum Power: 16,8 KW Continuous Power: 15,3 KW Maximum Power: 18,7KVA Continuous Power: 17KVA

Fuel: Gasoline Voltage: 230 V Frequency: 50 Hz Number of Cylinders: 2 Emission Standard: Stage V Engine RPM: 3000 RPM

Boosting: Electric

Alternator: NSM made in Italy





Voltage regulator system: AVR Consumption: 6. 5 Lt/h at 75% load

Tank capacity: 60 Lt

Autonomy: 9.2 h at 75% load

Length: 1200 mm Width: 730 mm Height: 930 mm Weight: 290 Kg Supersilenced

Discover the full range of current generator from on our catalog to find the one that best suits your needs.

Images and technical data not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 16.8 Continuous power single phase (KW): 15.3 Maximum power single phase (KVA): 18.7 Continuous power single phase (KVA): 17

Fuel: Gasoline Frequency (Hz): 50 Voltage (V): 230

Sockets configuration: 1 presa CEE 16A 3P 230V, n.1 presa CEE 32A 3P 230V, n. 1 presa CEE

63A 3P 230V

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000 Starting system: Elettrico Engine capacity (cm³): 896

Number cylinders: 2

Alternator: NSM, made in Italy Fuel tank capacity (L): 60

Consumption (L/h): 6.5 @ 75%

Running time (h): 9.2 Length (mm): 1200 Width (mm): 730 Height (mm): 930 Dry weight (Kg): 290

Silenced: Yes

Super silenced: Yes Product type: Generator





Voltage regulator: AVR

