



MOSA MPC50K motor pump Clearwater 620L/min

Product price:

272,00 € tax excluded

Product description:

MOSA MPC 50 K Clear Water Motor Pump 620L/min

MOSA MPC 50 K: High-performance gasoline pump for clear water

The MOSA MPC 50 K is a motor pump designed for the efficient transfer of clear water. With a powerful 4-stroke KOSHIN K180 gasoline engine, this pump offers high flow rate and remarkable head, making it ideal for a wide range of applications, including irrigation, drainage and water supply.

Key Features:

Powerful and reliable engine: The air-cooled KOSHIN K180 gasoline engine delivers a nominal power of 3.1 kW (4.2 PS) and a maximum power of 3.5 kW (4.8 PS), ensuring high and constant performance.

High flow rate: With a delivery volume of 620 L/min, the MPC 50 K is able to move large quantities of water quickly and efficiently.

Remarkable suction lift: The pump is able to draw water from a maximum depth of 8 meters, expanding the possibilities of use.

Easy start: The recoil start makes starting the engine simple and fast.

Robust and durable: The compact and durable structure, with dimensions of 489 x 392 x 391 mm and a weight of 25.2 kg, ensures long life and easy transport.

Long run time: The 3.6 liter fuel tank allows for a continuous operating time of about 2.1 hours.

Versatile: Suitable for clear water with a maximum solid particle size of 5 mm and a temperature between 5 and 45 °C.

Technical features **MOSA MPC50K:**

Suction connection diameter: 50 mm (2 in)



connection diameter - discharge 50 mm (2 in)
Connection thread: BSP external pipe thread
Delivery volume: 620 L/min
Max. suction lift: 8 m
Engine: 4-stroke air-cooled gasoline engine
Model: KOSHIN K180
Displacement: 179 cm³
Nominal power: 3.1 kW (4.2 PS) / 3,600 rpm
Max power: 3.5 kW (4.8 PS) / 3,600 rpm
Fuel: Unleaded petrol for cars
Fuel tank capacity: 3.6 L tank capacity
Continuous running time: Approximately 2.1 hours
Starting method: Recoil start
Viscosity: Clear water
Max solid particle size: 5 mm
Temperature: 5-45 °C
Net weight: 25.2 kg
Product dimensions L x W x H: 489 x 392 x 391 mm

If you are looking for a product with similar features [CLICK HERE](#).

Images and technical data are purely indicative.

Product features:

Engine: KOSHIN K180
Engine rpm (rpm): 3.600
Starting system: Pull starter
Engine capacity (cm³): 179
Nominal power continuous: 3,1 kW
Product dimensions (mm): 489 x 392 x 391
Total head (m): 27
Fuel tank capacity (L): 3.6
Net weight kg: 25.2
connection diameter: Suction: 50 mm (2 in)
Connection thread: BSP external pipe thread
delivery volume: 620 L/min
Maximum suction head: 8 m
Motor type: Air-cooled 4-stroke petrol engine
Max Rated Power: 3,5 kW
tempo di funzionamento: 2,1 ore circa
Viscosity: Clear water



Connection diameter - Drain: 50 mm (2 in)