



## MOSA MPA50H Motopump for dark water 500L/min

**Product price:**

**701,00 € tax excluded**

### **Product description:**

MOSA MPA50H Mud Water Pump 500L/min

The MOSA MPA50H is a high-quality motor pump designed for draining dirty water.

Thanks to its robust structure and powerful Honda GX200 engine.

The MOSA MPA50H is the ideal choice for those looking for a powerful, reliable, and versatile mud water pump.

Thanks to its advanced technical features, it can meet the needs of individuals, professionals, and farms.

### **Main Features MOSA MPA50H:**

**Powerful Engine:** The Honda GX200 4-stroke petrol engine ensures high performance and reliability.

**High Flow Rate:** The MOSA MPA50H offers a maximum flow rate of 500 liters per minute, allowing you to quickly complete even the most demanding tasks.

**High Head:** The pump can lift water up to 90 meters high, making it suitable for various applications.

**Effective Suction:** The maximum suction lift of 8 meters allows you to draw water even from deep wells or tanks.

**Versatile:** The MOSA MPA50H can be used for various applications, including:

Draining dirty water from construction sites, ditches, ponds, and swimming pools.



Irrigation of fields and gardens, and much more!

### **Technical Specifications** *MOSA MPA50H:*

Suction connection diameter: 50 mm (2 inches)

Connection thread: BSP pipe external thread

Delivery volume: 500 L/min

Maximum suction lift: 8 m

Engine: Honda GX200 high speed

Engine type: 4-stroke air-cooled forced air gasoline engine

Displacement: 196 cm<sup>3</sup>

Continuous rated power: 3.7 kW

Maximum rated power: 4.6 kW

Engine speed: 3,600 rpm

Fuel tank capacity: 3.1 liters

Operating time: Approximately 1.5 hours

Starting: Recoil

Viscosity: Clear water

Net weight: 34.6 kg

Dimensions: 550 x 437 x 457 mm

Fuel: Gasoline

Total head: 90 m

Discharge connection diameter: 50 mm (2 inches) / 25 mm (1 inch) x 2

If you are looking for a product with similar features [CLICK HERE](#).

Images and technical data are purely indicative.

### **Product features:**

Fuel: Gasoline

Engine: HONDA GX200 high rotation

Engine rpm (rpm): 3.600

Starting system: Pull starter

Engine capacity (cm<sup>3</sup>): 196

Nominal power continuous: 3.7 kW

Product dimensions (mm): 550 x 437 x 457

Total head (m): 90

Fuel tank capacity (L): 3.1

Net weight kg: 34,6

connection diameter: Suction: 50 mm (2 in)

Connection thread: BSP external pipe thread

delivery volume: 500 L/min

Maximum suction head: 8 m



Motor type: Air-cooled 4-stroke petrol engine

Max Rated Power: 4.6 kW

tempo di funzionamento: approx. 1.5 hours

Viscosity: Clear water

Connection diameter - Drain: 50 mm (2 in) / 25 mm (1 in)×2

