



# PRAMAC GSW10Y COFANATO CON QUADRO COMANDO MANUALE (MCP)

## Product description:

## Product features:

Phase: Three phase

Maximum power three phase (KW): 332.86

Continuous power three phase (KW): 303.87

Maximum power three phase (KVA): 416.07

Continuous power three phase (KVA): 379.84

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 400

Engine: VOLVO TAD1343GE, turbo intercooled

Emissions Regulations: Stage 2

Speed governor: Electronic

Starting system: Electric

Engine capacity (cm<sup>3</sup>): 12780

Number cylinders: 6

Cylinders' position: In line

Oil capacity (L): 36

Cooling: Water

Alternator: Mecc Alte ECO40-1S/4, brushless

Poles: 4

Fuel tank capacity (L): 636

Consumption (L/h): 58.1 at 75% of the load / 76.6 at 100% of the load

Running time (h): 10.9 at 75% of the load / 8.3 at 100% of the load

Length (mm): 3300

Width (mm): 1400



Height (mm): 1917  
Dry weight (Kg): 3050  
Silenced: No  
Super silenced: No  
ATS Switch device : Optional  
Voltage regulator: AVR  
Engine manufacturer: Volvo