

# PRAMAC LSW9Y Metal Halides 4 x 1000W with Genset



## Product description:

These integrated, towable light towers are equipped with slow towing or road towing. Ideal for quick and easy deployment.

Thanks to their 4X1000W metal halide lamps these light towers illuminate more than 4,000 square meters, representing a professional solution for outdoor use, such as road and bridge construction, emergency management, oil and gas.

Non-binding images and technical data.

## Product features:

Phase: Single phase

Maximum power single phase (KVA): 7.16

Continuous power single phase (KVA): 6.52

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 1 x 230V 16A 2P+T CEE

Engine: Yanmar 3TNV76-GPGE, naturally aspirated

Speed governor: Mechanical

Starting system: Electric

Engine capacity (cm<sup>3</sup>): 1116

Number cylinders: 3

Cylinders' position: In line

Oil capacity (L): 3.5

Cooling: Water

Alternator: Linz E1C13SD

Poles: 4

Type of lamps: Metal halide

Lamps: 4 x 1000 W

---

Telescopic pole: Galvanized steel  
Illuminated area (m<sup>2</sup>): 4500  
Total lumens (Lm): 360000  
Lifting System: Hydraulic lifting system  
Maximum height (m): 9  
Mast rotation: 360°  
Open size (mm): 3011 x 2742 x 8838  
Length closed (mm): 3011  
Width closed (mm): 1342  
Height closed (mm): 2468  
Transportability: Slow or road trailer  
Fuel tank capacity (L): 120  
Consumption (L/h): 2.03 at 75% of the load / 2.70 at 100% of the load  
Running time (h): 59.11 at 75% of the load / 44.44 at 100% of the load  
Acoustic power: 87 dB(A)  
Acoustic pressure: 58 dB(A) at 7 m  
Dry weight (Kg): 970  
Inverter: No  
AVR: No  
Compound: No  
Silenced: Yes  
Super silenced: Yes