



# GENSET MG 12001 IHPAA GENERATOR SINGLE PHASE 11KVA AVR STAGEV

Product price:

**4.147,70 € tax excluded**

## Product description:

GENSET MG 12001 IHPAA GENERATOR SINGLE PHASE 11KVA AVR STAGEV

GENSET MG 12001 IHPAA is a singlephase generator equipped with a Honda GX 630 OHV (STAGE V) engine powered by Gasoline, capable of delivering a maximum power of 11KVA.

The GENSET MG 12001 IHPAA has also a low fuel consumption: only 5.5 Lt/h at 75% of the load. The GENSET MG 12001 IHPAA thanks to the high quality and efficiency of its components, is ideal for various types of work: from small hobby work to large construction sites.

The generator is easy to install and operate, as well as easy to start and stop thanks to the clear and intuitive controls. GENSET MG 12001 IHPAA is equipped with a Honda GX 630 OHV STAGE V gasoline engine. They are very reliable engines that guarantee efficient combustion and low fuel consumption, they are also equipped with a protection system that causes the engine to stop if the oil level is too low.

GENSET MG 12001 IHPAA are equipped with a 29-liter tank with a large cap that is easy to unscrew even with work gloves.

GENSET MG 12001 IHPAA has an all-steel structure and a large metal tank. The generator guarantees an efficient and silent operation thanks to the Honda GX 630 OHV which allows to deliver a maximum power of 11 KVA.

The generator set comes with:

- Automatic stop for low oil level
- 12 V battery
- 1 single-phase socket CEE 16 A, 230 V - 50 Hz
- 1 singlephase socket CEE 32 A, 230 V - 50 Hz





- Power output protections
- Differential switch
- Voltmeter
- Hour meter
- Central lifting hook

#### TECHNICAL FEATURES GENSET MG 12001 IHPAA

Maximum singlephase output: 11 KVA  
Singlephase maximum output: 8.8 KW  
Singlephase continuous use output: 10 KVA  
Singlephase continuous use output: 8 KW  
Fuel: Gasoline  
Voltage: 230 V  
Frequency: 50 Hz  
Engine: Honda GX 630 OHV (STAGE V)  
Starter: Electric  
Tank capacity: 29l  
Consumption: 5.5 Lt/h  
Acoustic power: 90 dB (A) (65 dB at 7 mt)  
Protection class: IP 23  
Length: 904 mm  
Width: 507 mm  
Height: 823 mm  
Weight: 148 Kg  
Super silenced  
AVR

Looking for a power generator with different characteristics? Here you can find the full range of products from GENSET or other brands specializing in the field

Images and technical data are not binding and may be subject to revision by the supplier.

#### **Product features:**

Phase: Single phase  
Maximum power single phase (KW): 8.8  
Continuous power single phase (KW): 8  
Maximum power single phase (KVA): 11  
Continuous power single phase (KVA): 10  
Fuel: Gasoline  
Frequency (Hz): 50  
Voltage (V): 230



---

Sockets configuration: 1 x 230V 16A CEE - 1 x 230V 32A CEE  
Engine: Honda GX630, 4 stroke, OHV  
Emissions Regulations: Stage 5  
Engine rpm (rpm): 3000  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 688  
Number cylinders: 2  
Cooling: Air  
Alternator: Synchronous  
Protection degree: IP23  
Motor insulation class: H  
Fuel tank capacity (L): 29  
Consumption (L/h): 5.5  
Running time (h): 5.27  
Acoustic power: 98 dB(A)  
Acoustic pressure: 73 dB(A) at 7 m  
Length (mm): 904  
Width (mm): 507  
Height (mm): 823  
Dry weight (Kg): 148  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
ATS Switch device : Optional  
Voltage regulator: AVR  
Engine manufacturer: Honda