



GENSET MG 12001 IHPAA GENERATOR SINGLE PHASE 11KVA AVR STAGEV

Product price:

4.148,00 € tax excluded

Product description:

GENSET MG 12001 IHPAA GENERATOR SINGLE PHASE 11KVA AVR STAGEV

GENSET MG 12001 IHPAA is a singlephase generator equipped with a Honda GX 630 OHV (STAGE V) engine powered by Gasoline, capable of delivering a maximum power of 11KVA.

The GENSET MG 12001 IHPAA has also a low fuel consumption: only 5.5 Lt/h at 75% of the load. The GENSET MG 12001 IHPAA thanks to the high quality and efficiency of its components, is ideal for various types of work: from small hobby work to large construction sites.

The generator is easy to install and operate, as well as easy to start and stop thanks to the clear and intuitive controls. GENSET MG 12001 IHPAA is equipped with a Honda GX 630 OHV STAGE V gasoline engine. They are very reliable engines that guarantee efficient combustion and low fuel consumption, they are also equipped with a protection system that causes the engine to stop if the oil level is too low.

GENSET MG 12001 IHPAA are equipped with a 29-liter tank with a large cap that is easy to unscrew even with work gloves.

GENSET MG 12001 IHPAA has an all-steel structure and a large metal tank. The generator guarantees an efficient and silent operation thanks to the Honda GX 630 OHV which allows to deliver a maximum power of 11 KVA.

The generator set comes with:

- Automatic stop for low oil level
- 12 V battery
- 1 single-phase socket CEE 16 A, 230 V 50 Hz
- 1 singlephase socket CEE 32 A, 230 V 50 Hz





- Power output protections
- Differential switch
- Voltmeter
- Hour meter
- Central lifting hook

TECHNICAL FEATURES GENSET MG 12001 IHPAA

Maximum singlephase output: 11 KVA Singlephase maximum output: 8.8 KW Singlephase continuous use output: 10 KVA Singlephase continuous use output: 8 KW

Fuel: Gasoline Voltage: 230 V Frequency: 50 Hz

Engine: Honda GX 630 OHV (STAGE V)

Starter: Electric Tank capacity: 29l Consumption: 5.5 Lt/h

Acoustic power: 90 dB (A) (65 dB at 7 mt)

Protection class: IP 23

Length: 904 mm Width: 507 mm Height: 823 mm Weight: 148 Kg Super silenced

AVR

Looking for a power generator with different characteristics? Here you can find the full range of products from GENSET or other brands specializing in the field

Images and technical data are not binding and may be subject to revision by the supplier.

Product features:

Phase: Single phase

Maximum power single phase (KW): 8.8 Continuous power single phase (KW): 8 Maximum power single phase (KVA): 11 Continuous power single phase (KVA): 10

Fuel: Gasoline Frequency (Hz): 50 Voltage (V): 230





Sockets configuration: 1 x 230V 16A CEE - 1 x 230V 32A CEE

Engine: Honda GX630, 4 stroke, OHV

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000 Starting system: Electric Engine capacity (cm³): 688

Number cylinders: 2

Cooling: Air

Alternator: Synchronous Protection degree: IP23 Motor insulation class: H Fuel tank capacity (L): 29 Consumption (L/h): 5.5 Running time (h): 5.27 Acoustic power: 98 dB(A)

Acoustic pressure: 73 dB(A) at 7 m

Length (mm): 904 Width (mm): 507 Height (mm): 823 Dry weight (Kg): 148

Silenced: Yes

Super silenced: Yes Product type: Generator ATS Switch device : Optional

Voltage regulator: AVR

Engine manufacturer: Honda

