

GENSET MG 5000 S-Y - GENERATOR 4.25 KVA



Product price:

3.091,00 € tax excluded

Product description:

GENSET MG 5000 S-Y SINGLE PHASE POWER GENERATOR 4.3 KVA

GENSET MG 5000 S-Y Single-phase generating set with Yanmar L70V engine powered by diesel, capable of delivering a maximum power of 4.3 KVA complete with optional AVR voltage regulator.

The GENSET MG 5000 S-Y generator set is compact and easy to use, equipped with a casing that lowers noise emissions and makes it super-silenced.

The GENSET MG 5000 S-Y is a 4.3 KVA single-phase diesel generator set with electric start. This generator is also available in a version with AVR voltage regulator, with automatic panel and remote control.

The GENSET MG 5000 S-Y generator set includes:

- Voltmeter
- Hour meter
- Differential magnetothermal switch
- Emergency stop button
- Starting battery
- 1 single-phase socket CEE 32A, 230V - 50 Hz
- 1 single-phase socket CEE 16A, 230V - 50 Hz
- Protection for power outlets
- Arrangement for operation in AMF/ATS or Remote Control
- Central lifting hook

TECHNICAL FEATURES GENSET MG 5000 S-Y

Phase Type: Single-Phase

Maximum Single-Phase Power: 4.3 KVA / 3.4 KW
VAC Voltage: 230 V
Frequency (Hz): 50
Quadro Starter: Electric
Motor: Yanmar L70V
Emission Standard: Non-emitting
RPM: 3000
Power supply: Diesel
Fuel tank capacity: 10.5 l
Consumption @ 75 % load: 1 l/h
Autonomy @ 75 % load: 10.5 h
Sound pressure: 96 dB(A)
Length: 815 mm
Width: 560 mm
Height: 730 mm
Net weight: 125 Kg

Are you looking for a generator with different technical characteristics? Here you can find the whole range of GENSET or other specialized brands

Images and technical data are not binding and may be subject to revision by the manufacturer.

Product features:

Phase: Single phase
Maximum power single phase (KW): 3.4
Maximum power single phase (KVA): 4.3
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 230
Sockets configuration: 1 x 230V 16A CEE - 1 x 230V 32A CEE
Engine: Yanmar L70V, 4 stroke
Emissions Regulations: Stationary Use
Engine rpm (rpm): 3000
Starting system: Electric
Engine capacity (cm³): 320
Number cylinders: 1
Cooling: Air
Alternator: Synchronous
Protection degree: IP23
Motor insulation class: H
Fuel tank capacity (L): 10.5
Consumption (L/h): 1

Running time (h): 10.5
Acoustic power: 96 dB(A)
Acoustic pressure: 71 dB(A) at 7 m
Length (mm): 815
Width (mm): 560
Height (mm): 730
Dry weight (Kg): 125
Silenced: Yes
Super silenced: Yes
Product type: Generator
ATS Switch device : Optional
Voltage regulator: AVR (optional)
Engine manufacturer: Yanmar