



GENSET MG 5000 S-Y -GENERATOR 4.25 KVA

Product price:

3.091,00 € tax excluded

Product description:

GENSET MG 5000 S-Y SINGLE PHASE POWER GENERATOR 4.3 KVA

GENSET MG 5000 S-Y Single-phase generating set with Yanmar L70V engine powered by diesel, capable of delivering a maximum power of 4.3 KVA complete with optional AVR voltage regulator.

The GENSET MG 5000 S-Y generator set is compact and easy to use, equipped with a casing that lowers noise emissions and makes it super-silenced.

The GENSET MG 5000 S-Y is a 4.3 KVA single-phase diesel generator set with electric start. This generator is also available in a version with AVR voltage regulator, with automatic panel and remote control.

The GENSET MG 5000 S-Y generator set includes:

- Voltmeter
- Hour meter
- Differential magnetothermal switch
- Emergency stop button
- Starting battery
- 1 single-phase socket CEE 32A, 230V 50 Hz
- 1 single-phase socket CEE 16A, 230V 50 Hz
- Protection for power outlets
- Arrangement for operation in AMF/ATS or Remote Control
- Central lifting hook

TECHNICAL FEATURES GENSET MG 5000 S-Y

Phase Type: Single-Phase





Maximum Single-Phase Power: 4.3 KVA / 3.4 KW

VAC Voltage: 230 V Frequency (Hz): 50 Quadro Starter: Electric Motor: Yanmar L70V

Emission Standard: Non-emitting

RPM: 3000

Power supply: Diesel Fuel tank capacity: 10.5 l

Consumption @ 75 % load: 1 l/h Autonomy @ 75 % load: 10.5 h Sound pressure: 96 dB(A)

Length: 815 mm Width: 560 mm Height: 730 mm Net weight: 125 Kg

Are you looking for a generator with different technical characteristics? Here you can find the whole range of GENSET or other specialized brands

Images and technical data are not binding and may be subject to revision by the manufacturer.

Product features:

Phase: Single phase

Maximum power single phase (KW): 3.4 Maximum power single phase (KVA): 4.3

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230

Sockets configuration: 1 x 230V 16A CEE - 1 x 230V 32A CEE

Engine: Yanmar L70V, 4 stroke

Emissions Regulations: Stationary Use

Engine rpm (rpm): 3000 Starting system: Electric Engine capacity (cm³): 320

Number cylinders: 1

Cooling: Air

Alternator: Synchronous Protection degree: IP23 Motor insulation class: H Fuel tank capacity (L): 10.5

Consumption (L/h): 1





Running time (h): 10.5 Acoustic power: 96 dB(A)

Acoustic pressure: 71 dB(A) at 7 m

Length (mm): 815 Width (mm): 560 Height (mm): 730 Dry weight (Kg): 125

Silenced: Yes

Super silenced: Yes Product type: Generator ATS Switch device: Optional Voltage regulator: AVR (optional) Engine manufacturer: Yanmar

