

# GENSET MG 10000 S-R - GENERATOR 9.4 KVA



Product price:

**5.044,50 € tax excluded**

## Product description:

GENSET MG 10000 S-R SINGLE PHASE POWER GENERATOR 9,3KVA STAGE V

GENSET MG 10000 S-R Singlephase generating set with Lombardini 25LD330/2 STAGE V diesel engine, capable of delivering a maximum power of 9.3KVA complete with optional AVR voltage regulator.

The GENSET MG 10000 S-R generator set is compact and easy to use, equipped with a casing that lowers noise emissions and makes it super-silenced.

The GENSET MG 10000 S-R is a 9.3KVA single-phase diesel generator set with electric start. This generator is also available in the version with AVR voltage regulator, with automatic panel and remote control.

Thanks to its compact size and its very low weight, the GENSET MG 10000 S-R is a lightweight generator and easy to transport.

The GENSET MG 10000 S-R also has a low fuel consumption: only 2.2 Lt/h at 75% load.

The GENSET MG 10000 S-R generator set, thanks to the high quality and efficiency of its components, is ideal for various types of jobs: from small hobby work to large construction sites.

The GENSET MG 10000 S-R generator set is also available in a version with AVR voltage regulator, with remote control panel.

The generating set GENSET MG 10000 S-R includes:

- Voltmeter
- Hour meter
- Magnetothermal differential switch
- Emergency stop button
- Starting battery

- 1 singlephase socket CEE 32A, 230V - 50 Hz
- 1 singlephase socket CEE 16A, 230V - 50 Hz
- Protection for outputs
- Arrangement for operation in AMF/ATS or Remote control
- Central lifting hook

#### TECHNICAL FEATURES GENSET MG 6000 S-Y

Phase Type: SinglePhase

Maximum SinglePhase Power: 9.3KVA / 7.4 KW

Continuous SinglePhase Power: 8.3 KVA / 6.6 KW

VAC Voltage: 230 V

Frequency (Hz): 50

Starting Frame: Electric

Engine: Lombardini 25LD330/2

Emissions Standard: STAGE V

RPM: 3000

Power supply: Diesel

Fuel tank capacity: 10.5 l

Consumption @ 75 % load: 2.2 l/h

Autonomy @ 75 % load: 4.7 h

Acoustic pressure: 97 dB(A)

Length: 1000 mm

Width: 560 mm

Height: 730 mm

Net weight: 190 Kg

Are you looking for a generator with different technical characteristics? Here you can find the whole range of GENSET or other specialized brands

Images and technical data are not binding and may be subject to revision by the manufacturer.

#### Product features:

Phase: Single phase

Maximum power single phase (KW): 7.4

Continuous power single phase (KW): 6.6

Maximum power single phase (KVA): 9.4

Continuous power single phase (KVA): 8.3

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 1 x 230V 16A CEE - 1 x 230V 32A CEE

---

Engine: Lombardini 25LD330/2  
Emissions Regulations: Stage 5  
Engine rpm (rpm): 3000  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 654  
Number cylinders: 2  
Cooling: Air  
Alternator: Synchronous  
Protection degree: IP23  
Motor insulation class: H  
Fuel tank capacity (L): 10.5  
Consumption (L/h): 2.2  
Running time (h): 4.77  
Acoustic power: 97 dB(A)  
Acoustic pressure: 72 dB(A) at 7 m  
Length (mm): 1000  
Width (mm): 560  
Height (mm): 715  
Dry weight (Kg): 190  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
ATS Switch device : Optional  
Voltage regulator: Capacitor / AVR (optional)  
Engine manufacturer: Lombardini