

GENSET MG 10001 SS-KL - GENERATOR 10 KVA



Product price:

6.726,00 € tax excluded

Product description:

GENSET MG 10001 SS-KL SINGLE PHASE GENERATOR 10KVA

GENSET MG 10001 SS-KL Single-phase generating set with Kubota D1105 StageV engine powered by diesel, capable of delivering a maximum power of 10KVA.

The GENSET MG 10001 SS-KL generator set is compact and easy to use, equipped with enclosure that lowers noise emissions and makes it super-silenced.

The GENSET MG 10001 SS-KL is a single-phase 10KVA diesel generator set with electric start. This generator is also available in a version with an automatic panel and remote control.

Thanks to its compact size and very low weight, the GENSET MG 10001 SS-KL is a lightweight generator that is easy to transport. The GENSET MG 10001 SS-KL also has a low fuel consumption: only 2 Lt/h at 75% load.

The GENSET MG 10001 SS-KL generator set, thanks to the high quality and efficiency of its components, is ideal for various types of work: from small hobby work to large construction sites.

The GENSET MG 10001 SS-KL generator set includes:

- Battery 12 V
- 1 single-phase socket CEE 230V - 32A
- 1 single-phase socket CEE 230V - 16A
- 1 single-phase socket SCHUKO 230V - 16A
- Thermal protection
- Differential switch
- Emergency stop button
- Fuel level indicator
- Hour meter

- Bulb presence voltage 230V
- Central lifting hook
- Arrangement for operation in AMF-ATS or Remote Control
- Automatic engine stop device with warning lights for:
 - battery charge failure
 - high water temperature
 - low oil pressure

TECHNICAL FEATURES GENSET MG 10001 SS-KL

Phase Type: SinglePhase
Maximum SinglePhase Power: 10 KVA / 8 KW
Continuous SinglePhase Power: 9 KVA / 7.2 KW
VAC Voltage: 230 V
Frequency (Hz): 50
Starting Frame: Electric
Motor: Kubota D1105
Emission Standard: Stage V
RPM: 1500
Power supply: Diesel
Fuel tank capacity: 30 l
Consumption @ 75 % load: 2 l/h
Autonomy @ 75 % load: 15 h
Sound pressure: 90 dB(A)
Length: 1360 mm
Width: 675 mm
Height: 860 mm
Net weight: 330 kg

Are you looking for a generator with different technical characteristics? Here you can find the whole range of GENSET or other specialized brands

Images and technical data are not binding and may be subject to revision by the manufacturer.

Product features:

Phase: Single phase
Maximum power single phase (KW): 8
Continuous power single phase (KW): 7.2
Maximum power single phase (KVA): 10
Continuous power single phase (KVA): 9
Fuel: Diesel
Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 1 x 230V 16A CEE - 1 x 230V 32A CEE - 1 x 230V 16A SCHUKO

Engine: Kubota D1105

Emissions Regulations: Stage 5

Engine rpm (rpm): 1500

Starting system: Electric

Engine capacity (cm³): 1123

Number cylinders: 3

Cooling: Water

Alternator: Synchronous

Protection degree: IP23

Motor insulation class: H

Fuel tank capacity (L): 30

Consumption (L/h): 2

Running time (h): 15

Acoustic power: 90 dB(A)

Acoustic pressure: 65 dB(A) at 7 m

Length (mm): 1360

Width (mm): 674

Height (mm): 860

Dry weight (Kg): 330

Silenced: Yes

Super silenced: Yes

Product type: Generator

ATS Switch device : Optional

Voltage regulator: No

Engine manufacturer: Kubota