

# MASE IS 9.6 MARINE GENERATOR SINGLE PHASE 9.6KW EPA



## Product description:

### MASE IS 9.6 SINGLE PHASE MARINE GENERATOR 9,6KW

MASE IS9,6 single phase marine generator with KUBOTA Z722 engine with diesel power supply at 3600 rpm capable of delivering a power of 9,6KW.

The MASE IS9,6 marine generator is designed with a soundproof cabin that makes it **supersilenced**. The MASE IS9,6 is built with Kubota diesel-powered engine and synchronous alternator, self-excited with air/water cooling. With its small size, it is also suitable on small boats.

The marine generator CBU control module has a new design, the latest technology, a large display and micro-buttons for quick navigation of menus, start and stop procedures; IP54 protection rating. Very compact, 86x124mm and equipped with 10mts shielded cable, the CBU module has multiple functions for complete monitoring of the MASE IS9.6.

The soundproof cabin of the MASE IS9,6 consists of a supporting structure in aluminum profile that supports panels in marine aluminum painted type 5754 extremely light and very high resistance to external agents. The excellent accessibility to the internal compartment makes maintenance easier even with the genset installed in narrow spaces.

The cooling of the motor occurs through the circulation of coolant in a closed circuit. The system is composed of a cupronickel exchanger, inside which the heat exchange between coolant and sea water takes place. Two separate pumps circulate the coolant and seawater. The cooling of the air, circulating inside the generating set, is obtained through a sea water/air heat exchanger. The air flows guarantee an effective cooling of the alternator and the achievement of an optimal temperature for the performance and reliability of the machine. This system has the advantage of guaranteeing the best operating conditions of the generator set regardless of the ambient temperature of the accommodation compartment.

The MASE IS9.6 marine generator has **EPA certification** valid only for the **U.S. market**.



---

**Technical features:**

Maximum power: 9.6 KW  
Continuous use power: 8.8 KW  
Fuel: Diesel  
Voltage: 120 V / 240 V  
Frequency: 60 Hz  
Motor: KUBOTA D722  
Consumption: 3.9 Lt/h at 100% load  
Length: 730 mm  
Width: 468 mm  
Height: 555 mm  
Weight: 185 Kg

If you are looking for another generator like the MASE IS9.6 then you can browse the entire catalog of marine gensets.

Images and technical data are not binding.

**Product features:**

Phase: Single phase  
Maximum power single phase (KW): 9.6  
Continuous power single phase (KW): 8.8  
Maximum power single phase (KVA): 9.6  
Continuous power single phase (KVA): 8.8  
Fuel: Diesel  
Frequency (Hz): 60  
Voltage (V): 120 / 240  
Engine: KUBOTA D722, 4 stroke  
Engine rpm (rpm): 3600  
Speed governor: Centrifugal, mechanical  
Engine capacity (cm<sup>3</sup>): 719  
Number cylinders: 3  
Oil capacity (L): 3.8  
Cooling: Air / water (Intercooler W/A)  
Inyección : Indirect  
Alternator: Synchronous, self-excited  
Poles: 2  
Lubrication: Forced  
Consumption (L/h): 3.9 at 100% of the load





---

Acoustic pressure: 56 dB(A) at 7 m  
Length (mm): 730  
Width (mm): 468  
Height (mm): 555  
Dry weight (Kg): 185  
Inverter: No  
AVR: No  
Compound: No  
Silenced: Yes  
Super silenced: Yes

