





Product description:

OUT OF PRODUCTION

Three-phase maximum power: 26.4 KW Three-phase continuous use power: 24 KW

Fuel: Diesel

Voltage: 230 V / 400 V Frequency: 50 Hz

Engine: Deutz F4M2011

Starting: Electric

Consumption: 5.26 Lt / h at 75% of the load

Length: 1877 mm Width: 860 mm Height: 1090 mm Weight: 845 Kg

AVR

Product features:

Phase: Three phase

Maximum power three phase (KW): 26.4 Continuous power three phase (KW): 24 Maximum power three phase (KVA): 33 Continuous power three phase (KVA): 30

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230 / 400

Sockets configuration: 2 x 230V 16A CE





Engine: Deutz F4M2011, 4 stroke

Engine rpm (rpm): 1500 Speed governor: Mechanical Starting system: Electric Engine capacity (cm³): 3108

Number cylinders: 4 Oil capacity (L): 10

Cooling: Oil

Inyección : Direct

Alternator: Synchronous self-excited, brushless

Poles: 4

Lubrication: Forced

Fuel tank capacity (L): 50

Consumption (L/h): 5.26 at 75% of the load Running time (h): 9.5 at 75% of the load Acoustic pressure: 70 dB(A) at 7 m

Length (mm): 1877 Width (mm): 860 Height (mm): 1090 Dry weight (Kg): 845

Silenced: Yes

Super silenced: Yes

ATS Switch device: Optional

Voltage regulator: AVR

Engine manufacturer: Deutz