



# GENSET MG 4010 DM - VEHICULAR GENERATOR 4 KVA

**Product price:**

**5.959,00 € tax excluded**

## **Product description:**

GENSET MG4010DM SINGLE-PHASE VEHICLE GENERATOR 4KVA

The GENSET MG4010DM is a 4KVA single-phase vehicle generator powered by a Yanmar diesel engine with electric start. The GENSET MG4010DM generator is compact and easy to use, and thanks to its compact size and lightweight, it is a vehicle-mounted generator that is easy to install.

This GENSET MG4010DM generator is perfect for vehicle installation. The GENSET MG4010DM also has low fuel consumption: only 1 Lt/h at 75% load. The GENSET MG4010DM generator, thanks to the high quality and efficiency of its components, is ideal for vehicle mounting.

The GENSET MG4010DM 4KVA generator is equipped with a remote control panel consisting of a multifunction digital display for reading generator single-phase voltage, battery voltage, frequency, hour meter, and engine RPM.

The GENSET MG4010DM generator is equipped with an air cooling system that ensures long-lasting and reliable operation even in harsh conditions.

The GENSET MG4010DM 4KVA generator is part of the vehicle range, and thanks to its soundproof casing, it is super-silent, minimizing noise emissions.

## **Technical specifications of the GENSET MG4010DM generator:**

Phase Type: Single-Phase Maximum  
Single-Phase Power: 4 KVA / 3.2 KW  
Engine: Yanmar L 70 V  
Engine Speed: 3000 rpm  
Emission Standard: StageV



No. of Cylinders: 1  
Cooling: Air  
Displacement: 320 cm<sup>3</sup>  
Power: 6 hp (4.5 kWm)  
Starting System: Electric  
Fuel: Diesel  
Voltage: 230 V  
Frequency: 50 Hz  
Fuel Consumption at 75%: 1 Lt/h  
Sound Pressure: 89 (64 dB at 7 m)  
Length: 640 mm  
Width: 500 mm  
Height: 500 mm  
Dry Weight: 120 kg

If you are looking for a product like the GENSET MG4010DM then you can browse the full range of GENSET's vehicle generator or other types of products in our catalogue to find the one that best suits your needs.

Images and technical data are not binding.

#### **Product features:**

Phase: Single phase  
Maximum power single phase (KW): 3.2  
Maximum power single phase (KVA): 4  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 230  
Engine: Yanmar L70V, 4 stroke  
Emissions Regulations: Stage 5  
Engine rpm (rpm): 3000  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 320  
Number cylinders: 1  
Cooling: Air  
Alternator: Synchronous  
Protection degree: IP23  
Motor insulation class: H  
Consumption (L/h): 1  
Acoustic power: 89 dB(A)  
Acoustic pressure: 64 dB(A) at 7 m  
Length (mm): 640



---

Width (mm): 500  
Height (mm): 500  
Dry weight (Kg): 120  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
ATS Switch device : No  
Voltage regulator: No  
Engine manufacturer: Yanmar