



# TECNOGEN LD7500ELX

## Product description:

TECNOGEN LD7500ELX 5,6 KW

TECNOGEN LD7500ELX is a 5,6 KW single-phase generating set with a 3000 rpm Lombardini engine powered by diesel. The TECNOGEN LD7500ELX generating set is easy to use and is small in size, easy to handle and easy to maintain. The TECNOGEN LD7500ELX generating set is equipped with electric start. This generator set is perfect for both hobby and professional use, thanks to its reliable Lombardini diesel engine and all the high quality components it is composed of.

TECNOGEN LD7500ELX solves problems of lack of electricity during blackouts in different environments, from homes to companies. The TECNOGEN LD7500ELX generator is also used to provide electricity at construction sites and for hobbyist use. Professional generators are light, easy to transport, compact and robust machines, simple to use and with low running costs. They present, moreover, an excellent quality/price ratio.

On TECNOGEN LD7500ELX it is possible to install the lifting hooks, very useful to move the power generator with an overhead crane or a small crane.

The TECNOGEN LD7500ELX is equipped with a lifting hook, very useful to move the power generator with an overhead crane or a small crane.

## TECHNICAL FEATURES TECNOGEN LD7500ELX

Maximum single-phase power: 5.6 KW

Maximum single-phase power: 7 KVA

Fuel: Diesel

Voltage: 230V

Engine: Lombardini 15LD440

Boosting: Electric





Length: 750 mm  
Width: 560 mm  
Height: 620 mm  
Weight: 116 Kg

The single-phase TECNOGEN LD7500ELX generator sets with a maximum power of 7 KVA, is equipped with air-cooled diesel engines, 3000 rpm, electric start.

Easily transportable thanks to the reduced dimensions due to an essential equipment, are indicated to all those who need an economic source of energy, however, assembled with a first-rate components that ensure absolute reliability.

Are you looking for a different model of current generator or generator set? Here you can find the entire range of TECNOGEN or other brands specializing in the field.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

#### **Product features:**

Phase: Single phase  
Maximum power single phase (KW): 5.6  
Maximum power single phase (KVA): 7  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 230  
Engine: HONDA GC160  
Engine rpm (rpm): 3000  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 442  
Number cylinders: 1  
Cooling: Air  
Fuel tank capacity (L): 20  
Consumption (L/h): 1.6  
Running time (h): 12.5  
Length (mm): 750  
Width (mm): 560  
Height (mm): 620  
Dry weight (Kg): 116  
Silenced: No  
Super silenced: No  
ATS Switch device : Optional  
Voltage regulator: No  
Engine manufacturer: Lombardini



