

TECNOGEN H2700



Product description:

TECNOGEN JD35TSS GENERATOR SET

TECNOGEN JD35TSS Generator set is a three-phase diesel generator set with electric start. It has a maximum power rating of 27.2 kW in three-phase or 34 kVA. The engine is a 3.5-liter John Deere 3029DF128. The genset has an output voltage of 400 V. The dimensions are 2050 x 1050 x 1300 mm and the weight is 960 kg.

The TECNOGEN JD35TSS Generator set is a suitable product for a wide range of applications, including:

- Power supply in case of power failure
- Powering machinery and industrial equipment
- Lighting of events and demonstrations
- Powering emergency systems

TECHNICAL SPECIFICATIONS TECNOGEN GENERATOR SET JD35TSS:

Maximum three-phase power: 27.2 KW

Maximum three-phase power: 34 KVA

Fuel: Diesel

Voltage: 400V

Engine: John Deere 3029DF128

Starter: Electric

Length: 2050 mm

Width: 1050 mm

Height: 1300 mm

Weight: 960 kg

The TECNOGEN JD35TSS Generator set is equipped with robust and reliable diesel fuel, which

ensures continuous and trouble-free operation. It is also equipped with an electric start system, which facilitates starting the genset.

The TECNOGEN JD35TSS is a high-quality product, made with high-quality materials and components. The TECNOGEN JD35TSS is also equipped with a number of features that ensure its safety and reliability, including:

Overload protection

Short-circuit protection

Reverse polarity protection

Protection from lack of oil

The TECNOGEN Generator Set

Fuel: The diesel engine is suitable for use in cold weather conditions, such as those typical of Turin. Diesel has a lower freezing point than fuel oil, so the engine is less likely to stop in cold temperatures.

Voltage: An output voltage of 400 V is the standard voltage for most domestic and commercial consumers in Italy.

Starting: The electric start makes it easy to start the genset, even in cold weather.

Size and weight: The genset's size and weight make it easy to transport and store.

If you are looking for a product similar to TECNOGEN JD35TSS or with similar features click [HERE](#).

Images for illustration only.

Product features:

Phase: Three phase

Maximum power three phase (KW): 27.2

Maximum power three phase (KVA): 34

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 400

Engine: HONDA GC160

Engine rpm (rpm): 1500
Speed governor: Mechanical
Starting system: Electric
Engine capacity (cm³): 2900
Number cylinders: 3
Cooling: Water
Fuel tank capacity (L): 73
Consumption (L/h): 4.6
Running time (h): 15.8
Acoustic pressure: 67 dB(A) at 7 m
Length (mm): 2050
Width (mm): 1050
Height (mm): 1300
Dry weight (Kg): 960
Silenced: No
Super silenced: Yes
ATS Switch device : Optional
Voltage regulator: No
Engine manufacturer: John Deere