



# VTE PAGURO 18000 Marine Generator Supersilenced 18 kVA 50 Hz

**Product price:**

**12.921,00 € tax excluded**

## **Product description:**

PAGURO18000/50 Hz VTE super-silenced 14 KVA marine generator set

PAGURO18000/50Hz VTE single-phase 18 KVA marine genset VTE PAGURO18000/50Hz, with Lombardini engine powered by diesel at 3000 rpm and water-cooled with stainless steel water/air heat exchanger.

All parts in contact with seawater are made of 316 L stainless steel.

Thanks to the double anti-vibration system, vibrations are reduced to a minimum, making the VTE PAGURO18000/50 Hz marine genset supersilenced and among the lowest noise emission marine generators in its category.

The compact and space-saving VTE PAGURO18000/50 Hz marine genset is suitable for use on small boats, ready to give you all the power you need in peace.

This generator is the right solution for excellent reliability, Paguro18000/50 Hz means power.

## **Technical characteristics:**

Fuel: Diesel

Engine speed (rpm): 3000

Phase type: Single-phase

Single-phase continuous power (KVA): 18

Frequency (Hz): 50

Voltage (V): 230

Engine: Lombardini LDW 1404

Starter: Electric

Silenced: Supersilenced 54 dB(A)





Cooling: Fresh water with heat exchanger

Dry weight (kg): 230

Length (mm): 970

Width (mm): 580

Height (mm): 650

### Engine

The PAGURO18000/50 Hz Lombardini diesel-powered engine makes the VTE PAGURO18000/50 Hz marine genset efficient and reliable.

Designed with a stainless steel water/air heat exchanger.

### Alternator

The alternator of this genset is synchronous, brushless and with class H insulation. The genset's capacitor regulation makes the PAGURO18000/50 Hz marine genset excellent for powering sensitive electronic devices that fear voltage and current surges.

It is also water-cooled via an AISI 316 L stainless steel heat exchanger.

Included with the alternator is the battery charger for the dedicated 12 V / 8 A starter battery.

### Soundproofing capsule and double anti-vibration system

The reinforced fibreglass capsule with composite layering and the high-density soundproofing material coating make this generator set one of the most silent compared to its competitors.

The capsule allows installation even in cramped spaces, thanks to its composition: two upper parts and one lower part.

Finally, the dual anti-vibration system, with 4 soft inner mounts and 4 semi-elastic outer mounts, makes the PAGURO18000/50 Hz stable even in less calm waters and silenced, so you can enjoy your navigation without further worries.

If you are looking for a product similar to the PAGURO18000/50 Hz genset or with different characteristics, you can consult our entire catalogue of marine gensets [CLICK HERE](#)..

Non-binding images and technical data.

### Product features:

Phase: Single phase

Continuous power single phase (KW): 16

Continuous power single phase (KVA): 18

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Engine: Lombardini LDW1404

Engine rpm (rpm): 3000

Starting system: Electric





---

Number cylinders: 4  
Cooling: Fresh water with heat exchanger  
Alternator: Synchronous, brushless  
Consumption (L/h): 0.35  
Acoustic pressure: 54 dB(A)  
Length (mm): 970  
Width (mm): 580  
Height (mm): 650  
Dry weight (Kg): 230  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
Engine manufacturer: Lombardini

