

# VTE PAGURO 8500 Marine Generator 10 kVA 60 Hz Supersilenced



**Product price:**

**11.760,00 € tax excluded**

## **Product description:**

VTE PAGURO8500 Super-silenced 8.5 KVA Genset

PAGURO8500 marine genset Super-silenced 60 Hz single-phase 8.5 KVA, with Lombardini 1800 rpm diesel engine and water-cooled with stainless steel water/air heat exchanger.

To prevent damage to parts in contact with seawater, the components are all made of 316 L stainless steel.

The noise emissions of 49 dB(A) of the VTE PAGURO8500 super-silenced 60 Hz marine genset are reduced to a minimum because it is water-cooled and has a double anti-vibration system, making it one of the quietest of its kind.

The PAGURO8500 Supersilenced 60 Hz marine genset with 1800 rpm motor is compact and space-saving and is suitable for use on medium-sized boats, excellent for powering your boat in complete peace of mind. With the 60 Hz frequency this generator is perfect for other countries where 1800 rpm motors are needed.

## **The remote control consists of:**

- Remote control with LCD display.
- Hour meter, load indicator, motor frequency/speed.
- Automatic stop for low oil pressure and/or over-temperature.
- Quick connector and 15 metres of cable.
- Automatic start.

## **Paguro8500 Features Supersilenced:**

Fuel: Diesel

Engine speed (rpm): 1800

Phase type: Single-phase

Single-phase continuous power (KVA): 8.5

Frequency (Hz): 60

Voltage (V): 115



Engine: Lombardini LDW 1404  
Starter: Electric  
Silenced: Supersilenced 49 dB(A)  
Cooling: Fresh water with heat exchanger  
Dry weight (Kg): 200  
Length (mm): 860  
Width (mm): 560  
Height (mm): 650

### Engine

The Lombardini diesel-powered engine makes the PAGURO8500 super-silenced marine genset efficient and reliable.

Designed with stainless steel water/air heat exchanger.

### Alternator

The alternator is synchronous, brushless and with class H insulation. The capacitor regulation makes the PAGURO8500 marine genset excellent for powering sensitive electronic devices that fear voltage and current fluctuations (e.g. PCs, smartphones or household appliances).

It is also water-cooled via an AISI 316 L stainless steel heat exchanger.

Included with the PAGURO8500 Supersilenced alternator is the battery charger for the dedicated 12 V / 8 A starter battery.

### Soundproofing capsule and double anti-vibration system

The reinforced fibreglass capsule with composite layering and the high-density soundproofing material coating make this marine genset one of the most silent compared to its competitors.

The capsule allows installation even in cramped spaces, thanks to its composition: two upper parts and one lower part.

Finally, the dual anti-vibration system, internal with 4 soft mounts and external with 4 semi-elastic mounts, makes the PAGURO8500 stable even in less calm waters and silenced, so you can enjoy your navigation without further worries.

If you are looking for a different kind of product, you can consult our entire catalogue of marine gensets [click HERE](#).

Non-binding images and technical data.

### Product features:



---

Phase: Single phase  
Continuous power single phase (KW): 8.5  
Continuous power single phase (KVA): 8.5  
Fuel: Diesel  
Frequency (Hz): 60  
Voltage (V): 115  
Engine: Lombardini LDW1404  
Engine rpm (rpm): 1800  
Starting system: Electric  
Number cylinders: 4  
Cooling: Fresh water with heat exchanger  
Alternator: Synchronous, brushless  
Consumption (L/h): 0.35  
Acoustic pressure: 49 dB(A)  
Length (mm): 860  
Width (mm): 580  
Height (mm): 650  
Dry weight (Kg): 200  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
Engine manufacturer: Lombardini