



# HONDA Outboard BF 8 LHU Long Shaft 6 kW 8 Hp 222 cm<sup>3</sup>

**Product price:**

**2.120,00 € tax excluded**

## **Product description:**

### HONDA BF8DK2 LHU OUTBOARD

Honda BF8DK2 LHU are lightweight, compact outboard engine with a retractable handle that makes them easy to transport. They are perfect for inflatable boats, dinghies and skiffs, and can even be used as booster engines for large fishing boats and sailboats.

Whether you use them professionally or them for your leisure time, these lightweight eight and ten horsepower outboards won't let you down. Aboard your dinghy or small boat, put the fun in motion by starting your Honda engine.

The Honda BF8DK2 is an outboard that has earned a reputation for reliability, efficiency, low emissions and very low fuel consumption. These 4-stroke engines, thanks in part to the programmed ignition (PGM-IG), which always guarantees a prompt response when starting, even when cold. Engines equipped with electric start need to keep the battery in good condition at all times. And if you have electrical instrumentation on board, the powerful coil keeps the charge at a high level at all times and allows you to keep everything running, even at high speeds. The standard four-blade propeller is high-efficiency and allows you to maximize power at low to mid rpm.

Honda outboards have a reverse lever that allows you to change gears with your fingertips. Everything is much easier to use and better positioned than other outboards even for left-handers. Plus, the soft-grip, twist-lock throttle grip minimizes the effort of operating it, increasing handling. You can accelerate and slow down as needed for navigation (B) or keep the control locked (A) as cruise control.

Honda BF8DK2 LHU models feature built-in retractable handles, positioned exactly at the balance point to make them really easy to carry and give them a sleek look even while in transit.

Honda BF8DK2 LHU outboards are used by rangers to take their small boats out on the lake to



do their bird counts in the early hours of the morning; so, not only do they have to be clean, they have to be quiet. They are so quiet that they don't disrupt the life of a still pristine environment.

#### TECHNICAL SPECIFICATIONS OUTBOARD HONDA BF5DH LHU:

Net Power (kW): 6  
Net Power (Hp): 8  
Displacement: 222 cm<sup>3</sup>  
Shank length: Long  
Dry weight (Kg): 42  
Starting: Electric / Manual  
Ignition system: Electronic PGM-IG  
Control type: Bar  
Setup and engine lifting: Manual 5 positions  
Transom height (mm): 433  
Length (mm): 610  
Width (mm): 345  
Height (mm): 1105  
Bore x stroke: 58 x 42 mm  
Engine Brand: Honda  
Engine Type: OHV, 4 stroke  
Number of cylinders: 2  
Speed at full throttle (rpm): 4500-5500  
Cooling system: Water  
Battery charge capacity (A): 6

Are you looking for an outboard with different technical characteristics? [HERE](#) you can find the whole range Honda or other brands specializing in the field.

Images are indicative only.

#### Product features:

Fuel: Gasoline  
Engine: OHV, 4 stroke  
Ignition: Electronic PGM-IG  
Starting system: Electric and recoil  
Engine capacity (cm<sup>3</sup>): 222  
Number cylinders: 2  
Cooling: Water (with thermostat)  
Bore x stroke (mm): 58 x 42  
Reduction ratio: 2.33  
Rpm at full throttle (rpm): 4500 - 5500  
Appearance and engine lifting: Manual / Manual 5 position

---

Transom height (mm): 563  
Net power (kW): 6  
Fuel tank capacity (L): 12  
Length (mm): 610  
Width (mm): 345  
Height (mm): 1235  
Dry weight (Kg): 44.5  
Shaft Length: L  
Controls: Tiller