



## HONDA Outboard BF 10 SRU Short Shaft With Remote 7.4 kW 222 cm<sup>3</sup>

Product price:

**2.856,00 € tax excluded**

### Product description:

#### HONDA OUTBOARD BF10DK2 SRU SHORT SHAFT

Honda BF10DK2 SRU are lightweight, compact outboard engine with a retractable handle that makes them easy to transport. They are perfect for inflatable boats, dinghies and skiffs, and can even be used as booster engines for large fishing boats and sailboats.

These 4-stroke Honda engines are easy to use thanks also to the programmed ignition (PGM-IG) that during starting, even when cold, always guarantees a prompt response. Engines equipped with electric start need to keep the battery in good condition at all times. And if you have electric instrumentation on board, the powerful coil keeps the charge always at a high level and allows you to keep everything running, even at high speed.

Honda BF10DK2 SRU features a decompression system that makes starting easy. This makes the engine easier to start in the initial pull with manual start while overloading the battery much less.

During forward travel, the Honda BF10DK2 SRU's propeller is driven normally through the water, as with all marine engines. In the reverse direction, however, Honda engines make a difference. On other outboards, in fact, the propeller turns by discharging bubbles but does not "grip" the water. In contrast, this unique reverse-discharge system directs the bubbles out of the propeller so it can "grip" the water. The result is immediate response and very precise control.

Honda BF10DK2 outboards have a reverse lever that allows you to change gears with your fingertips. Everything is much easier to use and better positioned than other outboards even for left-handers. Plus, the soft-grip, twist-lock throttle knob minimizes operating effort, increasing handling. You can accelerate and slow down as needed to navigate (B) or keep the control locked (A) as cruise control.

Honda BF10DK2 have built-in retractable handles, positioned exactly at the balance point to



make them really easy to carry and give them a sleek look even while in transit.

Honda BF10DK2 SRU outboards are used by rangers to take their small boats out on the lake to do their bird counts in the early morning hours; therefore, they not only need to be clean, but also quiet.

#### TECHNICAL FEATURES HONDA BF10DK2 SRU

Net Power (kW): 7.4  
Net Power (Hp): 10  
Displacement: 222 cm<sup>3</sup>  
Shank length: Short  
Dry weight (Kg): 46  
Starting: Electric / Manual  
Ignition system: Electronic PGM-IG  
Type of control Remote  
Setup and engine lifting: Manual 5 positions  
Transom height (mm): 434  
Length (mm): 610  
Width (mm): 345  
Height (mm): 1105  
Bore x stroke: 58 x 42 mm  
Engine Brand: Honda  
Engine Type: OHV, 4 stroke  
Number of cylinders: 2  
Speed at full throttle (rpm): 5000-6000  
Cooling system: Water  
Battery charging capacity (A): 12

Are you looking for an outboard with different technical characteristics? Here you can find the entire Honda range or other brands specializing in the field.

Images are indicative only.

#### **Product features:**

Fuel: Gasoline  
Engine: OHV, 4 stroke  
Ignition: Electronic PGM-IG  
Starting system: Manual / Electric  
Engine capacity (cm<sup>3</sup>): 222  
Number cylinders: 2  
Cooling: Water (with thermostat)

Bore x stroke (mm): 58 x 42

Reduction ratio: 2.33

Rpm at full throttle (rpm): 5000 - 6000

Appearance and engine lifting: Manual / Manual 5 position

Transom height (mm): 433

Net power (kW): 7.4

Fuel tank capacity (L): 12

Length (mm): 610

Width (mm): 345

Height (mm): 1105

Dry weight (Kg): 46

Shaft Length: S

Controls: Remote