



# HONDA Outboard BF 40 SRTZ Short Shaft 29.8 kW 40 Hp 808 cm<sup>3</sup>

**Product price:**

**4.665,00 € tax excluded**

## **Product description:**

HONDA BF40DK4 SRTZ outboard

The Honda BF40DK4 SRTZ is a lightweight, compact 808 cm<sup>3</sup>, three-cylinder outboard engine with PGM-Fi electronic fuel injection for easy starting. Plus, thanks to the Ignition Phase Advance System (BLAST™) and ECOmo cruise velocity fuel delivery control system.

The Honda BF40DK4 SRTZ are lively, responsive outboards that deliver reliable performance for water enthusiasts. NMEA2000®-compliant, electronically fuel-injected outboards with optional helm control.

Exclusive Honda BLAST™ technology with PGM-Fi electronic fuel injection delivers instant acceleration that gets you up to velocity very quickly. This is made possible by improved ignition timing accuracy, which develops more torque at low rpm, allowing you to reach cruising speed quickly.

Honda BF40DK4 SRTZ ECOmo system automatically adjusts the air/fuel mixture according to speed and load for maximum efficiency with minimum fuel consumption. When your boat has reached cruising speed (in the green zone shown above) the PGM-FI system can adjust the air/fuel ratio while consuming up to 20%.

The high power alternator generates a current of 22 Amps, which keeps the battery in the best condition with a load capacity of 17 Amps and also powers all the electronic equipment on board.

The Honda BF40DK4 SRTZ are NMEA2000® (National Marine Electronics Association) compliant, so they are compatible with all other NMEA2000®-compliant electronic devices, such as navigation and fishfinder systems.

Honda outboards have a multifunction control bar with an LED panel that displays engine warning lights, oil pressure, overheating, engine management and battery charge. It also beeps if



something happens while you're focused on other tasks

Precise low-speed control is just as important as high-speed management, especially while fishing. The optional rudder control, through the control bar, simply adjusts the velocity in 50 rpm increments, making it ideal for fishing. Honda has made outboard engines cleaner, quieter and more environmentally friendly with the introduction of the 4-stroke.

#### TECHNICAL CHARACTERISTICS HONDA BF40DK4 SRTZ

Net Power (kW): 29.8  
Net Power (Hp): 40  
Displacement: 808 cm<sup>3</sup>  
Shank length: Short  
Dry weight (Kg): 96  
Starter: Electric  
Ignition system: Electronic PGM-IG  
Type of control Remote  
Setup and engine lifting: Electric  
Transom height (mm): 416  
Length (mm): 694  
Width (mm): 372  
Height (mm): 1258  
Bore x stroke: 70 x 70 mm  
Engine Brand: Honda  
Engine Type: OHV, 4 stroke  
Number of cylinders: 3  
Speed at full throttle (rpm): 5000-6000  
Cooling system: Water  
Battery charge capacity (A): 17  
Propeller Rotation: Standard

Are you looking for an outboard with different technical characteristics? Here you can find the entire Honda range or other brands specializing in the field.

Images are indicative only.

#### Product features:

Fuel: Gasoline  
Engine: OHV, 4 stroke  
Ignition: Electronic PGM-IG  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 808

---

Number cylinders: 3  
Cooling: Water (with thermostat)  
Bore x stroke (mm): 70 x 70  
Reduction ratio: 2.08  
Rpm at full throttle (rpm): 5000 - 6000  
Appearance and engine lifting: Electric  
Transom height (mm): 416  
Net power (kW): 29.8  
Fuel tank capacity (L): 25  
Length (mm): 694  
Width (mm): 372  
Height (mm): 1258  
Dry weight (Kg): 96  
Shaft Length: S  
Controls: Remote