



# PRAMAC PMi 1000 SINGLE-PHASE GENERATOR 1KW WITH INVERTER

**Product price:**

**345,00 € tax excluded**

## **Product description:**

### PRAMAC PMi 1000 SINGLE-PHASE GENERATOR 1KW WITH INVERTER

The PRAMAC PMi 1000 single-phase generator is capable of delivering a maximum power of 1KW, super quiet thanks to the inverter included.

The PRAMAC PMi 1000 is powered by gasoline with a 4-stroke engine, particularly compact and lightweight, it can be easily transported by hand to any place; this feature is very appreciated by those customers who sell products in the square, streets or markets and that for reasons of lack or distance of parking for their cars, they must carry the generator by hand for long distances (old town, difficult areas, etc.).

The reduced measures and the strong handle situated above the machine body, make it perfect for a transport and an easy collocation during the periods of inactivity. All the materials used for the manufacture of PRAMAC, are of first choice, offering and guaranteeing the customer a tested and proven product at a very convenient price. Precisely for this reason, it is a tool very appreciated by professionals and lovers of do-it-yourself.

Thanks to the electrical stabilizer of the Inverter technology that works at very low distortion, the generator delivers constant current loads without voltage peaks that could damage electrical and electronic devices.

Another advantage of the inverter, is to work with variable engine speed, according to the need for current to be delivered, optimizing the best fuel consumption, gas emission and wear of mechanical parts. This product is ideal for use in campsites, campers and for outdoor leisure time.

Thanks to the low noise impact obtained thanks to the inverter, it is possible to use the



PRAMAC PMi 1000, even in environments where particularly loud noises cannot be accepted, such as historical centers, hospitals, schools, gyms, etc.. Do not underestimate the considerable discomfort that you feel, to be all day near the noisy generators for work needs.

#### Technical characteristics PRAMAC PMi 1000

Phase Type: SinglePhase  
Continuous SinglePhase Power: 1.1 KVA / 0.85 KW  
Maximum SinglePhase Power: 1.25 KVA / 1 KW  
VAC Voltage: 230 V  
Frequency (Hz): 50  
Voltage Regulator: INVERTER  
Starting Gear: Manual Pull-Out  
Engine: OHV 4-stroke  
Emission Standard: Stage V  
RPM: Variable  
Power supply: Gasoline  
Fuel tank capacity: 2.1 l  
Consumption @ 75 % load: 0.66 l/h  
Autonomy @ 75 % load: 3.2 h  
Acoustic pressure: 61 dB(A) @ 7m  
Length: 480 mm  
Width: 250 mm  
Height: 395 mm  
Net weight: 14 Kg

Are you looking for a generator with different technical characteristics? [HERE](#) you can find the area dedicated to PRAMAC generators or other specialized brands

Images and technical data are not binding and may be subject to revisions.

#### Product features:

Phase: Single phase  
Maximum power single phase (KW): 1  
Continuous power single phase (KW): 0.85  
Maximum power single phase (KVA): 1.25  
Continuous power single phase (KVA): 1.1  
Fuel: Gasoline  
Frequency (Hz): 50  
Voltage (V): 230  
Sockets configuration: 1 x 230V SCHUKO  
Engine: OHV 4 tempi

---

Emissions Regulations: Stage 5  
Engine rpm (rpm): Variable  
Speed governor: Mechanical  
Starting system: Pull starter  
Cooling: Air  
Fuel tank capacity (L): 2.1  
Consumption (L/h): 0.66  
Running time (h): 3.2  
Acoustic pressure: 61 dB(A) at 7 m  
Length (mm): 250  
Width (mm): 480  
Height (mm): 395  
Dry weight (Kg): 14  
Silenced: Yes  
Super silenced: Yes  
ATS Switch device : No  
Voltage regulator: Inverter  
Video: 7wIJO\_8eyf0