



LUXTOWER LUX M11

Product price:

9.250,00 € tax excluded

Product description:

LUXTOWER LUX M11 4x300 W LED

LUXTOWER LUX M11 is a compact and easily transportable tower luminaire that can effectively illuminate areas of up to 4700 m² with reduced environmental impact.

The LUXTOWER LUX M11 tower is equipped with an 8,5 m vertical telescopic pole with manual lifting and 4x300 W LED floodlights with high luminous efficiency.

The LUXTOWER LUX M11 lighting tower consists of a 3,5 KVA single-phase generator equipped with a Kubota Z482 engine powered by diesel at 1500 rpm and a soundproof enclosure that makes it super-silenced.

Thanks to the set-up on a towing trolley, it can be easily manoeuvred by a single operator.

The LUXTOWER LUX M11 light tower is one of the brilliant results of a development path characterised by the application of innovative LED technology. The new LED machines are ideal for the rental sector and are characterised by low power consumption, compactness, robustness and ease of use.

Unlike metal halide lamps, LED floodlights guarantee:

- Instant lighting, with no waiting time for cooling
- Fuel savings of up to 60% compared to incandescent systems
- Five times longer lamp life than conventional ones
- Low environmental impact with CO₂ reductions of around 50%

The LUXTOWER LUX M11 lighting tower is the ideal solution for the following outdoor applications:

- Construction sites
- Rental companies
- Mining sites
- Events

If you're looking for more towers like the LUXTOWER M11 then you can browse our entire catalogue of LUXTOWER towers and other brands.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KVA): 3.5

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Engine: KUBOTA Z482

Engine rpm (rpm): 1500

Starting system: Electric

Number cylinders: 2

Cooling: Water

Alternator: Linz Alumen SP-E1C

Type of lamps: LED

Lamps: 4 x 300 W

Telescopic pole: Vertical

Illuminated area (m²): 4700

Lifting System: Manual lifting system

Maximum height (m): 9

Mast rotation: 340°

Open size (mm): 2390 x 2370 x 9000

Length closed (mm): 2390

Width closed (mm): 1380

Height closed (mm): 2640

With generator / Without generator: With generator

Transportability: Slow Trailer

Stability to wind (Km/h): 80 Km/h

Fuel tank capacity (L): 80

Consumption (L/h): 0.55

Running time (h): 145

Acoustic pressure: 65 dB(A) at 7 m

Silenced: Yes

Super silenced: Yes

Product type: Light tower

Engine manufacturer: Kubota

Weight (Kg): 690