



FISCHER PANDA 12-4 PMS Single-phase Sea Generating Set 1500 rpm 12.4 kVA

Product description:

MARINE GENERATOR FISCHER PANDA 12-4PMS SUPERSILENCED 12.3 KVA

Generator for boats Fischer Panda 12-4PMS single-phase 12.3 KVA with 1500 rpm motor. The Fischer Panda 12-4PMS marine generator is designed with a soundproof cabin that makes it super-silent. The Fischer Panda 12-4PMS generator is built with a Kubota diesel-powered engine. The Fischer Panda 12-4PMS generator alternator is 4-pole with H insulation class. Thanks to its compactness, size and low weight, the Fischer Panda 12-4PMS marine generator is also perfect for installation on boats with tight spaces.

Technical specifications of the Fischer Panda 12-4PMS generator:

Phase Type: Single-phase

Maximum Output: 10.5 kW

Continuous Output: 9.4 kW

Maximum Output: 12.4 kVA

Continuous Output: 11.2 kVA

Frequency: 50 Hz

Voltage: 230 V

Engine rpm: 1500 rpm

Displacement: 1498 cc.

Cooling: Water

Sound Cover Type: GFK (Glass fibre reinforced polyester)

Sound pressure: 52 dB(A) at 7 m

Length: 950 mm

Width: 515 mm

Height: 670 mm

Dry weight: 315 Kg



Based on the rugged Fischer Panda 12-4PMS generator set, these heavy duty (HD) versions operate at 1500 rpm / 50Hz.

The Fischer Panda 12-4PMS marine generator is enclosed in a super quiet soundproofed capsule.

The generators are heavier than standard PMS generators. They use a heavy-duty diesel engine and because they run at 1500 rpm, they have a 4-wire coil, which also means that the alternator has a heavier 4-pole construction.

The heavy-duty construction and low rpm results in a durable and quiet generator set.

Marine generators AC 50 Hz / 1500 rpm (PMS-HD)

Heavy Duty (HD) at 1500 rpm. Based on this robust marine generator set, these heavy duty versions are enclosed in a super quiet soundproofed capsule.

If you are looking for a marine generator set such as the Fischer Panda 12-4PMS but with different technical specifications then we recommend you take a look at the full range of marine generators.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 10.5

Continuous power single phase (KW): 9.4

Maximum power single phase (KVA): 12.4

Continuous power single phase (KVA): 11.2

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Engine: Kubota V1505

Engine rpm (rpm): 1500

Speed governor: Electronic

Starting system: Electric

Engine capacity (cm³): 1498

Number cylinders: 3

Cooling: Water

Poles: 4

Motor insulation class: H

Length (mm): 950



Width (mm): 515
Height (mm): 670
Dry weight (Kg): 315
Silenced: Yes
Super silenced: Yes
Product type: Generator
Voltage regulator: Capacitor
Engine manufacturer: Kubota