



# CGM SUPERPOWER 7000SPTE GENERATOR SINGLETHREEPHASE 7KVA

Product price:

**1.062,50 € tax excluded**

## Product description:

CGM SUPERPOWER 7000SPTE GENERATOR SINGLETHREEPHASE 7KVA 5.6KW AVR

The Generator SingleThreePhase 7KVA 5,6KW CGM **SUPERPOWER 7000SPTE AVR** is with **powered by petrol** equipped with electric and manual starting, handles and wheels to carry it easily; it is a Generator SingleThreePhase 7KVA that meets a high quality standard and guarantees a high level of reliability. The whole range of Generator SingleThreePhase 7KVA has positively passed different tests for each component of which the groups and the final product are composed.

The strengths of Generator SingleThreePhase 7KVA are: the high quality of components, lightness, compactness, ease of use and also modern design. The CGM SUPERPOWER 7000SPTE is equipped with a manual rope starter.

The CGM SUPERPOWER 7000SPTE has been specially developed for camping, caravans, houses, and hobby applications etc.

The CGM Superpower 7000SPTE is equipped with a comfortable **counter**, **larger tank** for a great autonomy and **rain protection**, to use it also in case of bad weather.

The advantages of AVR voltage regulator

The automatic voltage regulator, or AVR, allows the Generator SingleThreePhase 7KVA CGM Superpower 7000SPTE to deliver stable energy and thus be able to connect equipment with delicate electronics such as computers, appliances, smartphones and tablets: the unit set is therefore ideal for home use, camping, hobby and leisure, but also for construction sites and craftsmen.

Technical Features of the Generator SingleThreePhase 7KVA CGM SUPERPOWER 7000SPTE



---

Maximum Power Three Phase: 5.6KW  
Maximum Power Three Phase: 7 KVA  
Maximum Power Single Phase: 1.87KW  
Maximum Power Single Phase: 2.33 KVA  
Fuel: Gasoline  
Voltage: 230 V / 400 V  
Frequency: 50 Hz  
Motor: CGM 14. 0HP  
Starting: Manual / Electrical  
Consumption: 1.8 Lt/h at 75% load  
Length: 717 mm  
Width: 545 mm  
Height: 592 mm  
Weight: 70 Kg  
Voltage regulator: AVR

Discover the full range of Industrial and portable current generators in the dedicated section.

Images and technical data not binding.

**Product features:**

Phase: Single phase / Three phase  
Maximum power single phase (KW): 1.8  
Maximum power single phase (KVA): 2.3  
Maximum power three phase (KW): 5.6  
Maximum power three phase (KVA): 7  
Fuel: Gasoline  
Frequency (Hz): 50  
Voltage (V): 230 / 400  
Sockets configuration: 1 x 400V - 1 x 230V  
Engine: CGM 14.0HP, 4 stroke  
Emissions Regulations: Stationary Use  
Engine rpm (rpm): 3000  
Starting system: Manual / Electric  
Engine capacity (cm<sup>3</sup>): 420  
Number cylinders: 1  
Alternator: Copper  
Fuel tank capacity (L): 25  
Consumption (L/h): 1.8  
Running time (h): 13.89  
Acoustic pressure: 70 dB(A) at 7 m  
Length (mm): 717

---

Width (mm): 545  
Height (mm): 592  
Dry weight (Kg): 70  
Silenced: No  
Super silenced: No  
Product type: Generator  
ATS Switch device : No  
Voltage regulator: AVR  
Engine manufacturer: CGM