

TELWIN ELECTROMIG 330 WAVE 400V



Product description:

Microprocessor controlled, multiprocess MIG-MAG (continuous and pulse), FLUX/BRAZING/MMA/TIG DC-Lift inverter welding machine.

The WAVE OS system makes welding operations: customisable to suit customer-specific requirements; traceable and analysable, by saving data via USB; simplified, thanks to SYNERGIC adjustment of parameters.

Maximum operational flexibility for use in a wide variety of application sectors, from maintenance to installation and interventions at body shops.

It is possible to operate on different welded materials (steel, stainless steel, aluminium), brazed materials (galvanised and zinc-plated sheet metal) with specific welding processes having low thermal transfer, ROOT-MIG and ATC, and specific processes for aluminium and brazed materials AB PULSE and AB PoP.

The intelligent and automatic control of the arc, instant by instant, will maintain high levels of welding in all working conditions, with different materials and/or gases.

Complete with VRD device.

Supplied with various stored welding programmes, it offers the possibility also to store, trace and export more customised programmes.

Complete with MIG-MAG torch, cable and earth clamp.

Not binding images and technical data.

Product features:

Phase: Three phase

Frequency (Hz): 50 / 60

Voltage (V): 400

Efficiency (%): 90

Protection degree: IP23

No-load voltage (V): 63

Regulation current (A): 20 - 300

Diameter electrodes (mm): 1.6 - 6

Ø steel welding wire (mm): 0.6 - 1.2

Ø inox welding wire (mm): 0.8 - 1.2

Ø aluminium welding wire (mm): 0.8 - 1.2

Ø flux cored welding wire (mm): 0.8 - 1.2

Ø brazing wire (mm): 0.8 - 1.2

Type of welding: Multiprocess

MIG-MAG welding: MIG-MAG/FLUX/BRAZING

Current max (A): 270

Length (mm): 865

Width (mm): 390

Height (mm): 915

Voltage regulator: Inverter

Weight (Kg): 39